

Material Safety Data Sheet

Date Prepared: 01-01-02

MSDS No. G180001-9

Section I Material Identification And Use

**Product/Tradename: XPEL LAUNDRY**

NFPA Designation: Health 2 Flammability 1 Reactivity 0  
 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Manufacturer's Name: Caled Chemical Emergency Telephone: Chemtrec: 1-800-424-9300  
 Address: 26 Hanes Drive, Wayne, NJ 07470 Working Hours: 973-696-7575

Chemical Name: Mixture Chemical Family: Mixture

Formula: Mixture Material Use: Aqueous Finishing Agent

Section II Hazardous Ingredients

Hazardous Ingredients	CAS Number	Approx. Percent	Exposure Limits	Other
Acetone 2000 Mg/Kg Rabbits	67-64-1	2.0	750 PPM (TLV) TWA ACGIH 750 PPM (PEL) TWA OSHA	Skin: Inhalation: 6400
PPM Rats Ethylene Glycol 20 Mg/Kg Rabbits	107-21-1	2.0	50 PPM (TLV) TWA ACGIH 50 PPM (PEL) TWA OSHA	Skin: Oral: 9750 Mg/Kg
Rats Hexylene Glycol Supplier (Ael) Ne	107-41-5	2.0	25 PPM (TLV) TWA ACGIH Ne (PEL)	

Section III Physical Data

Physical State: Liquid | Odor And Appearance: Bluish White Opaque Liquid Of Mild Odor

Specific Gravity| Vapor Pressure(Mm)| Vapor Density(Air=1)| Ph  
 1.010 | ND | ND | 3-5

Evaporation Rate | Boiling Point(F)| % Volatile(Vol) | Water Solubility  
 Butyl Ace=1) Slower |212 | 80 |Dispersible

Section IV Fire And Explosion Hazard Data

Flash Point(F) Method Flammable Limits In Air % By Volume  
 >200 (Tag Closed Cup) Upper: ND Lower: ND



**XPEL LAUNDRY**

-----  
Skin And Eyes: Remove Contaminated Clothing And Flush Areas With Water. Get Medical Attention If Irritation Persists.

Inhalation: Remove To Fresh Air. Get Medical Attention.

Ingestion: Do Not Induce Vomiting. Dilute With Water Or Milk. Get Medical Attention.

Section VI Spill Or Leak Information

=====

Steps To Be Taken If Material Is Released Or Spilled

If Locally Permitted, Small Spills Can Be Flushed With Water. Large Spills Should Be Dammed Absorbed Or Vacuumed Into A Closed Drum For Disposal. Rinse Area With Water.

-----

Waste Disposal Methods

In Accordance With Federal, State And Local Regulations.

=====

Section VII Special Protection Information

=====

Respiratory Protection (Specify)

None Needed In Good Ventilation. If Misting Occurs, Use Suitable Mist Mask.

-----

Ventilation (Mechanical - General, Local, Special)

Local: If Misted Mechanical: Yes Vent Dryer Outside Of Work Area

-----

Gloves (Specify): Rubber

Eye (Specify): Safety Glasses Or Goggles

-----

Other Protective Equipment

Eye Wash Station, Protective Clothing As Required.

=====

Section VIII Special Precautions

=====

Precautions To Be Taken In Handling And Storing

Do Not Freeze. Keep Containers Closed When Not In Use. Do Not Store Near Heat Or Open Flames. Avoid Excessive Contact With Skin And Eyes. Do Not Inhale Mists Or Vapors. Wash After Use.

-----

Special Shipping Information

Dot: Nr

Un: Nr

-----

Sara Title III, Section 313 Release Reporting And Other Covered Regulations

Ethylene Glycol And Acetone Are Reportable Under Sara Title III, Section 313 Release Reporting And 40 CFR Part 372.

-----

Na = Not Applicable ND = No Data Available Ne = Not Established < = Less Than > = Greater Than

Each Customer Is Encouraged To Study This MSDS Carefully To Become Aware Of And Understand The Associated Material Hazards. Proper Reference Works Should Be Consulted, As Necessary, To Use And Understand The Contained Data. This MSDS Should Be Properly Routed To All Individuals Who Use Or May Come In Contact With This Product. Understand And Follow All Pertinent Employee And Community Right To Know Regulations.

**XPEL LAUNDRY**

---

We Believe That The Statements, Technical Information And Recommendations Contained Herein Are Reliable, But Given Without Warrantee Or Guarantee Of Any Kind, Express Or Implied, And We Assume No Responsibility For Any Loss, Damage, Or Expense, Direct Or Consequential, Arising From Their Use.