

GENERAL ELECTRIC -- LAMP,FLUORESCENT - LAMP,FLUORESCENT
MATERIAL SAFETY DATA SHEET
NSN: 6240007522081
Manufacturer's CAGE: 08805
Part No. Indicator: A
Part Number/Trade Name: LAMP,FLUORESCENT

=====
General Information
=====

Item Name: LAMP,FLUORESCENT
Company's Name: GENERAL ELECTRIC CO GE LIGHTING
Company's Street: NELA PARK NO 4310
Company's City: CLEVELAND
Company's State: OH
Company's Country: US
Company's Zip Code: 44112
Company's Emerg Ph #: 216-266-2121
Company's Info Ph #: 216-266-2121/800-624-0624
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SD
Date MSDS Prepared: 14JUN93
Safety Data Review Date: 20DEC96
Supply Item Manager: CX
MSDS Preparer's Name: DGSC-SSH
Preparer's Company: DEFENSE GENERAL SUPPLY CENTER
Preparer's St Or P. O. Box: 8000 JEFFERSON-DAVIS HIGHWAY
Preparer's City: RICHMOND
Preparer's State: VA
Preparer's Zip Code: 23297-5680
MSDS Serial Number: BQWCQ
Hazard Characteristic Code: N1
Unit Of Issue: EA
Unit Of Issue Container Qty: NOT KNOWN
Type Of Container: LAMP
Net Unit Weight: NOT KNOWN

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: MERCURY (SARA III)
Ingredient Sequence Number: 01
NIOSH (RTECS) Number: OV4550000
CAS Number: 7439-97-6
OSHA PEL: S, C, 0.1 MG/M3
ACGIH TLV: S, 0.05 MG/M3; 9192
Other Recommended Limit: NOT KNOWN

=====
Physical/Chemical Characteristics
=====

Appearance And Odor: FLUORESCENT LAMP
=====

Fire and Explosion Hazard Data
=====

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Special Fire Fighting Proc: WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire And Expl Hazrds: NOT KNOWN

=====
Reactivity Data
=====

Stability: YES

Cond To Avoid (Stability): FIRE
Materials To Avoid: NOT KNOWN
Hazardous Decomp Products: NOT KNOWN
Hazardous Poly Occur: NO

=====
Health Hazard Data
=====

Route Of Entry - Inhalation: NO
Route Of Entry - Skin: NO
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: ACUTE AND CHRONIC- FLUORESCENT LAMPS ARE FINISHED PRODUCTS AND ARE ARTICLES. THEY DO NOT REPRESENT ANY HAZARD AS LONG AS THEY ARE NOT BROKEN. INHALATION OF MERCURY VAPORS MAY BE HARMFUL. BROKEN GLASS MAY CAUSE INJURY.
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Signs/Symptoms Of Overexp: NONE
Med Cond Aggravated By Exp: NONE
Emergency/First Aid Proc: NONE

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: PICK UP BROKEN GLASS OR LAMP FOR DISPOSAL.
Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.
Precautions-Handling/Storing: KEEP ON ORIGINAL CONTAINERS. AVOID BREAKING THEM.
Other Precautions: NONE

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED IF USED AS INTENDED
Ventilation: NONE REQUIRED IF USED AS INTENDED
Protective Gloves: NONE REQUIRED IF USED AS INTENDED
Eye Protection: NONE REQUIRED IF USED AS INTENDED
Other Protective Equipment: NONE REQUIRED IF USED AS INTENDED
Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Suppl. Safety & Health Data: NO MSDS WAS AVAILABLE FROM MFR. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPERLY TO PROTECT EMPLOYEES AND ENVIRONMENT. MANUFACTURER STATED THAT GE LAMPS HAVE NO HAZARDOUS MATERIALS & NO MSDS IS REQUIRED.

=====
Transportation Data
=====

Trans Data Review Date: 96355
DOT PSN Code: XXX
DOT Proper Shipping Name: SEE ADDITIONAL DATA FIELD IN HMIS FOR FURTHER INFORMATION
IMO PSN Code: XXX
IMO Proper Shipping Name: SEE ADDITIONAL DATA FIELD IN HMIS FOR FURTHER INFORMATION
IATA PSN Code: XXX
IATA Proper Shipping Name: SEE ADDITIONAL DATA FIELD IN HMIS FOR FURTHER INFORMATION
AFI PSN Code: PYF
AFI Prop. Shipping Name: MERCURY
AFI Class: 8
AFI ID Number: UN2809
AFI Pack Group: I
AFI Basic Pac Ref: A12.10

Additional Trans Data: REFER TO:DOT-49CFR173.164(B)&(C);IATA-TABLE
4.5,PARA A69.REGULATED AMOUNTS:DOT-100MG(EACH)/1G(PKG).DOT PSN CODE IS IWD;
IMO-1KG.IMO PSN CODE IS JKJ;IATA-100MG(EACH)/1G(PKG).IATA PSN CODE IS QBQ.
IF REGULATED,LABEL AS CORROSIVE.

=====
Disposal Data

=====
Label Data

=====
Label Required: YES
Technical Review Date: 20DEC96
MFR Label Number: UNKNOWN
Label Status: F
Common Name: LAMP,FLUORESCENT
Label Name: GENERAL ELECTRIC CO GE LIGHTING
Label Street: NELA PARK NO 4310
Label City: CLEVELAND
Label State: OH
Label Zip Code: 44112
Label Country: US
Label Emergency Number: 216-266-2121