

BUFF

Page: 1

PRODUCT NAME: BUFF

TRADE SECRET REGISTRY #307554-5564P

HMIS CODES: H F R P

UN NUMBER : N/A

1 0 1 E

## ===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: PARISER INDUSTRIES

ADDRESS : 91 MICHIGAN AVENUE

PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300

DATE PRINTED : 06/09/03

INFORMATION PHONE : 973-569-9090

NAME OF PREPARER : ENVIRONMENTAL

DEPARTMENT

## ===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
-----			

\*\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*\*

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

## ===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

pH 1% SOLUTION :

BOILING RANGE: n/a

SPECIFIC GRAVITY (H2O=1): 2.16

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

COATING V.O.C.: NOT APPLICABLE

MATERIAL V.O.C.: NOT APPLICABLE

SOLUBILITY IN WATER: SOLUBLE

APPEARANCE AND ODOR: WHITE POWDER WITH SWEET MINT ODOR

## ===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT :

METHOD USED: n/a

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a

UPPER: n/a

EXTINGUISHING MEDIA: FOR FIRES INVOLVING THIS PRODUCT, WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL MAY BE USED.

SPECIAL FIREFIGHTING PROCEDURES

WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN EITHER IN CONFINED AREAS OR EXPOSED TO COMBUSTION PRODUCTS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED POSITIVE-PRESSURE BREATHING APPARATUS AND AVOID SKIN CONTACT

## ===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID

AVOID TEMPERATURES ABOVE 228°F.

INCOMPATIBILITY (MATERIALS TO AVOID)

CONTACT WITH ACIDS WILL RELEASE CARBON DIOXIDE GAS. WHEN MIXED WITH LIME DUST AND WATER, CORROSIVE CAUSTIC SODA MAY BE PRODUCED.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

HEATING ABOVE 228°F MAY CAUSE DANGEROUS LEVELS OF CARBON DIOXIDE GAS TO BE PRESENT IN A CONFINED SPACE. YIELDS SODIUM OXIDE IF EXPOSED TO TEMPERATURES

ABOVE 1564øF. AVOID INHALATION, EYE AND SKIN CONTACT WITH SODIUM OXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE KNOWN

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
DUST MAY CAUSE MILD IRRITATION. MAY AGGRAVATE EXISTING SKIN AND/OR EYE  
CONDITIONS ON CONTACT.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE DETERMINED

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
MATERIAL IS NON-TOXIC. SMALL AMOUNTS (1-2 TABLESPOONFULS) SWALLOWED DURING  
NORMAL HANDLING OPERATIONS ARE NOT LIKELY TO CAUSE INJURY AS LONG AS THE STOMACH  
IS NOT OVERLY FULL. LARGE DOSES MAY PROFUCE SYSTEMIC ALKALOSIS AND EXPANSION IN  
EXTRACELLULAR FLUID VOLUME WITH EDEMA.

HEALTH HAZARDS (ACUTE AND CHRONIC)  
NONE ESTABLISHED

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  
MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS ON CONTACT.

EMERGENCY AND FIRST AID PROCEDURES

EYES: OBJECT IS TO FLUSH MATERIAL OUT IMMEDIATELY THEN SEEK MEDICAL ATTENTION.  
IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST SEVERAL MINUTES  
HOLDING LIDS APART TO ENSURE FLUSHING OF THE ENTIRE SURFACE. WASHING EYES  
WITHIN 1 MINUTE IS ESSENTIAL TO ACHIEVE MAXIMUM EFFECTIVENESS. SEEK MEDICAL  
ATTENTION IMMEDIATELY. SKIN: WASH WITH PLENTY OF WATER FOR 15 MINUTES. REMOVE  
CONTAMINATED CLOTHING AND FOOTWEAR. WASH CLOTHING BEFORE REUSE. FOOTWEAR  
SHOULD BE DECONTAMINATED BEFORE REUSE. SEEK MEDICAL ATTENTION IF SYMPTOMS ARE  
PRESENT. INHALATION: GET PERSON OUT OF CONTAMINATED AREA TO FRESH AIR. IF  
RESPIRATION STOPS, GIVE MOUTH-TO-MOUTH RESUSCITATION. SEEK MEDICAL ATTENTION IF  
SYMPTOMS ARE PRESENT. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS  
PERSON. IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER.  
(IF AVAILABLE, GIVE SEVERAL GLASSES OF MILK). IF VOMITING OCCURS SPONTANEOUSLY,  
KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION IMMEDIATELY.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
IF MATERIAL IS SPILLED, SWEEP UP INTO SUITABLE DISPOSAL DRUM AND FLUSH AREA WITH  
WATER.

WASTE DISPOSAL METHOD

IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE  
CHEMICAL LANDFILL IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL  
REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

DO NOT HANDLE UNLESS THE SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
AVOID EYE AND SKIN CONTACT. AVOID INHALATION OF DUST OR VAPORS. DO NOT  
PUNCTURE, DRAG OR SLIDE CONTAINERS. DO NOT SMOKE IN ANY CHEMICAL HANDLING OR  
STORAGE AREA. WASH HANDS BEFORE EATING.  
STORE IN A COOL, DRY AND WELL-VENTILATED LOCATION. PROTECT FROM HUMIDITY. KEEP  
CONTAINERS TIGHTLY CLOSED. STORE AWAY FROM INCOMPATIBLE MATERIALS.

## OTHER PRECAUTIONS

USE WITH ADEQUATE VENTILATION OR LOCAL EXHAUST FAN WHERE EXCESSIVE DUST MAY BE RELEASED INTO WORK ENVIRONMENT. DO NOT STORE CLOSE TO ACIDS. AVOID HUMID OR WET CONDITIONS AS PRODUCT WILL CAKE AND BECOME HARD. STORE IN A COOL, DRY WELL VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.

## ===== SECTION VIII - CONTROL MEASURES =====

## RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED RESPIRATOR FOR PARTICULATES. LOCAL EXHAUST, VENTILATE AS REQUIRED.

## VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

## PROTECTIVE GLOVES

NORMAL WORK GLOVES ARE ADEQUATE.

## EYE PROTECTION

EYE GLASSES OR GOGGLES SHOULD BE WORN IN DUSTY AREAS.

## OTHER PROTECTIVE CLOTHING OR EQUIPMENT

PROTECTIVE CLOTHING MAY BE WORN IN DUSTY AREAS, BUT IS GENERALLY NOT REQUIRED.

## WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING AND HANDWASHING IS SUGGESTED AFTER WORKING IN EXTREMELY DUSTY AREAS. EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

## ===== SECTION IX - DISCLAIMER =====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

## ===== SECTION X - UN CODE =====

N/A