

NASP

Page: 1

PRODUCT NAME: NASP

TRADE SECRET REGISTRY #307554-5193P

HMIS CODES: H F R P

UN NUMBER : 3, UN1268, PGIII

1 2 0 C

## ===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: PARISER INDUSTRIES  
 ADDRESS : 91 MICHIGAN AVE  
 PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300      DATE PRINTED : 02/27/04  
 INFORMATION PHONE : 973-569-9090      NAME OF PREPARER : ENVIRONMENTAL DEPARTMENT

## ===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
STODDARD SOLVENT NOT ESTABLISHED	8052-41-3	2 mm Hg68øF	25
PETROLEUM SOLVENT NOT ESTABLISHED	64742-95-6	<10mmHg25øC	22.55
ALKYLPHENOL ETHOXYLATE NOT ESTABLISHED	9016459	.99mmHg20øc	2.54

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

## ===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

pH 1% SOLUTION : N/A  
 BOILING RANGE: 168øC - 315øF      SPECIFIC GRAVITY (H2O=1): 0.85  
 VAPOR DENSITY: N/A      EVAPORATION RATE: N/A  
 COATING V.O.C.: NOT APPLICABLE      MATERIAL V.O.C.: NOT APPLICABLE  
 SOLUBILITY IN WATER: SOLUBLE  
 APPEARANCE AND ODOR: CLEAR WATER WHITE/SWEET ODOR

## ===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT : 120øF      METHOD USED: TCC  
 FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a      UPPER: n/a

EXTINGUISHING MEDIA: FOR FIRES INVOLVING THIS PRODUCT, WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL MAY BE USED.

SPECIAL FIREFIGHTING PROCEDURES  
 WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN EITHER IN CONFINED AREAS OR EXPOSED TO COMBUSTION PRODUCTS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS  
 COMBUSTIBLE LIQUID

## ===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE  
 CONDITIONS TO AVOID  
 NONE

INCOMPATIBILITY (MATERIALS TO AVOID)  
 STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS  
COMBUSTION WILL PRODUCE CARBON MONOXIDE AND ASPHYXIANTS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
HIGH VAPOR CONCENTRATIONS MAY CAUSE A BURNING SENSATION IN THE THROAT AND NOSE,  
STINGING AND WATERING IN THE EYES. AT CONCENTRATIONS WHICH CAUSE IRRITATION,  
DIZZINESS, FAINTING, DROWSINESS, NAUSEA AND VOMITING MAY ALSO OCCUR.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
CONTACT WITH SOLUTION WILL CAUSE IRRITATION. MIST WILL IRRITATE OR BURN EYES.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NONE DETERMINED

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
MAY CAUSE IRRITATION OF MOUTH AND THROAT, HARMFUL BY INGESTION, SLIGHTLY TOXIC.

HEALTH HAZARDS (ACUTE AND CHRONIC)  
NONE ESTABLISHED

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  
MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS ON CONTACT.

EMERGENCY AND FIRST AID PROCEDURES  
INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.  
CALL A PHYSICIAN. EYE/SKIN: FLUSH EYES AND SKIN WITH PLENTY OF WATER FOR AT  
LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF IRRITATION  
OCCURS, CONSULT A PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. DO NOT GIVE  
LIQUIDS! OBTAIN EMERGENCY MEDICAL ATTENTION. SMALL AMOUNTS WHICH ACCIDENTALLY  
ENTER MOUTH SHOULD BE RINSED OUT UNTIL TASTE OF IT IS GONE.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION, DIKE SPILL  
AREA, AND ADD ABSORBANT EARTH OR SAWDUST TO SPILLED LIQUID. SWEEP UP AND  
DISPOSE OF IN APPROPRIATE CONTAINERS IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS.

WASTE DISPOSAL METHOD  
IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE  
CHEMICAL LANDFILL IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL  
REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING  
DO NOT HANDLE UNLESS THE SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
AVOID EYE AND SKIN CONTACT. AVOID INHALATION OF VAPORS. DO NOT PUNCTURE, DRAG  
OR SLIDE CONTAINERS. DO NOT SMOKE IN ANY CHEMICAL HANDLING OR STORAGE AREA.  
WASH HANDS BEFORE EATING. STORE IN A COOL, DRY AND WELL-VENTILATED LOCATION.  
PROTECT FROM HUMIDITY. KEEP CONTAINERS TIGHTLY CLOSED. STORE AWAY FROM  
INCOMPATIBLE MATERIALS.

OTHER PRECAUTIONS  
USE WITH ADEQUATE VENTILATION OR LOCAL EXHAUST. STORE IN A COOL, DRY WELL  
VENTILATED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.

## ===== SECTION VIII - CONTROL MEASURES =====

## RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED RESPIRATOR FOR PARTICULATES. LOCAL EXHAUST, VENTILATE AS REQUIRED.

## VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

## PROTECTIVE GLOVES

NEOPRENE GLOVES SHOULD BE WORN. GLOVES MAY BE DECONTAMINATED BY WASHING WITH MILD SOAP AND WATER.

## EYE PROTECTION

EYE GLASSES OR GOGGLES SHOULD BE WORN.

## OTHER PROTECTIVE CLOTHING OR EQUIPMENT

PROTECTIVE CLOTHING MAY BE WORN, BUT IS GENERALLY NOT REQUIRED.

## WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING, HANDWASHING AND EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

## ===== SECTION IX - DISCLAIMER =====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

## ===== SECTION X - UN CODE =====

PETROLEUM DISTILLATES, N.O.S. 3, UN1268, PGIII

