

SPRAY-TEX

Page: 1

PRODUCT NAME: SPRAY-TEX

TRADE SECRET REGISTRY #307554-5367P

HMIS CODES: H F R P

UN NUMBER : N/A

1 0 0 B

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: PARISER INDUSTRIES

ADDRESS : 91 MICHIGAN AVENUE

PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300

DATE PRINTED : 06/09/03

INFORMATION PHONE : 973-569-9090

NAME OF PREPARER : ENVIRONMENTAL

DEPARTMENT

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT PERCENT
		mm Hg	@ TEMP	
ODORLESS MINERAL SPIRITS OSHA/PEL 300PPM TOTAL	64742-48-91	68øF	35.44	
SODIUM DIOCTYL SULFOSUCCINATE NOT ESTABLISHED	577-11-7	N/A	N/A	13.29
ISOPROPYL ALCOHOL 400 PPM TWA OSHA & ACGIH	67-63-0	33	20øC	1.90
POTASSIUM HYDROXIDE	1310-58-3	60	1013øC	0.95

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

pH 1% SOLUTION :

BOILING RANGE: 180.07øF - 1320øC

SPECIFIC GRAVITY (H2O=1): 0.85

VAPOR DENSITY: N/A

EVAPORATION RATE: N/A

COATING V.O.C.: NOT APPLICABLE

MATERIAL V.O.C.: NOT APPLICABLE

SOLUBILITY IN WATER: SOLUBLE

APPEARANCE AND ODOR: LIQUID

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT : N/A

METHOD USED: CLOSED CUP

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 1.3

UPPER: 12.7

EXTINGUISHING MEDIA: UNIVERSAL FOAM, DRY CHEMICAL, WATER SPRAY/FOG, CLASS BC OR ABC FIRE EXTINGUISHERS.

SPECIAL FIREFIGHTING PROCEDURES

SELF-CONTAINED POSITIVE PRESSURE BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN. WATER SPRAY MAY BE USED TO CONTROL DUST.

UNUSUAL FIRE AND EXPLOSION HAZARDS

N/A

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID

STRONG OXIDIZING AGENTS

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
MAY RESULT IN IRRITATION OF THE EYES AND RESPIRATORY TRACT

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
NO EVIDENCE OF HARMFUL EFFECTS FROM AVAILABLE INFORMATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SEE ABOVE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
SMALL AMOUNTS OF THIS PRODUCT ASPIRATED INTO THE RESPIRATORY SYSTEM DURING
INGESTION OR VOMITING MAY CAUSE MILD TO SEVERE PULMONARY INJURY, POSSIBLY
PROGRESSING TO DEATH. MINIMAL TOXICITY.

HEALTH HAZARDS (ACUTE AND CHRONIC)
NONE ESTABLISHED

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS ON CONTACT.

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF PATIENT IS CONSCIOUS, GIVE TWO GLASSES OF WATER. DO NOT INDUCE
VOMITING. IF SIGNS AND SYMPTOMS OF TOXICITY APPEAR, CALL A PHYSICIAN. SKIN:
WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS
DIFFICULT, ADMINISTER OXYGEN; IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL
RESPIRATION. OBTAIN MEDICAL ATTENTION. EYES: FLUSH THOROUGHLY WITH WATER.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
IF MATERIAL IS SPILLED, STEPS SHOULD BE TAKEN TO CONTAIN LIQUIDS AND PREVENT
DISCHARGES TO STREAMS OR SEWER SYSTEMS. SPILLS OR RELEASES SHOULD BE REPORTED,
IF REQUIRED, TO THE APPROPRIATE LOCAL, STATE AND FEDERAL REGULATORY AGENCIES.

WASTE DISPOSAL METHOD

CONSULT APPROPRIATE FEDERAL, STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN
PROPER DISPOSAL PROCEDURES.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

READ AND FOLLOW ALL LABEL DIRECTIONS. KEEP OUT OF REACH OF CHILDREN. AVOID
CONTAMINATION OF FOOD OR FEEDSTUFFS. TOXIC TO FISH. KEEP OUT OF LAKES,
STREAMS, OR PONDS.

OTHER PRECAUTIONS

N/A

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

USE SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR
CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES

CHEMICAL RESISTANT GLOVES SHOULD BE WORN. GLOVES MAY BE DECONTAMINATED BY WASHING WITH MILD SOAP AND WATER. NATURAL AND BUTYL RUBBER HAVE BEEN SUGGESTED.

EYE PROTECTION

WEAR CHEMICAL SAFETY GOGGLES PLUS FULL FACE SHIELD TO PROTECT AGAINST SPLASHING.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

EYE BATH, SAFETY SHOWER

WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING, HANDWASHING AND EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

===== SECTION IX - DISCLAIMER =====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

===== SECTION X - UN CODE =====

N/A