

Printing date 11/15/2005

Reviewed on 11/15/2005

## 1 Identification of substance:

- **Product details:**
- **Trade name: Aquastop FC**
- **Application of the substance / the preparation** Drycleaning / Laundry
- **Manufacturer/Supplier:**  
SEITZ GmbH  
Gutenbergstrasse 3  
65830 Kriftel/ Germany  
seitz@seitz24.com  
www.seitz24.com
- **Information department:**  
CHEM-TEL Inc.  
1305 North Florida Ave  
Tampa Florida 33602
- **Emergency information:** 1-800-255-3924

## 2 Composition/Data on components:


- **Chemical characterization**
- **Description:** Mixture of the substances listed below with non-hazardous ingredients.

- **CAS-No.      Components:**

34590-94-8	dipropylene glycol monomethyl ether	< 5%
64-19-7	acetic acid	< 1%

## 3 Hazards identification

- **Hazard description:** not applicable
- **Information pertaining to particular dangers for man and environment** not applicable
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS ratings (scale 0-4)**



Health = 0  
Fire = 0  
Reactivity = 0

## 4 First aid measures

- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.

(Contd. on page 2)

Printing date 11/15/2005

Reviewed on 11/15/2005

**Trade name: Aquastop FC**

Do not induce vomiting; immediately call for medical help.

(Contd. of page 1)

## 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- **Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.  
Avoid contact with eyes and skin.  
Ensure adequate ventilation
- **Measures for environmental protection:**  
Do not allow product to reach sewage system or any water course.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.

## 7 Handling and storage

- **Handling**
- **Information for safe handling:**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from frost.  
Time of storage: max. 18 month

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 3)

USA

Printing date 11/15/2005

Reviewed on 11/15/2005

**Trade name: Aquastop FC**

(Contd. of page 2)

**· Components with limit values that require monitoring at the workplace:**

**34590-94-8 dipropylene glycol monomethyl ether**

PEL (USA)	600 mg/m <sup>3</sup> , 100 ppm Skin
REL (USA)	Short-term value: 900 mg/m <sup>3</sup> , 150 ppm Long-term value: 600 mg/m <sup>3</sup> , 100 ppm
TLV (USA)	Short-term value: 909 mg/m <sup>3</sup> , 150 ppm Long-term value: 606 mg/m <sup>3</sup> , 100 ppm Skin
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm Skin

**64-19-7 acetic acid**

PEL (USA)	25 mg/m <sup>3</sup> , 10 ppm
REL (USA)	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
TLV (USA)	Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses recommended

· **Body protection:** Protective work clothing recommended

## 9 Physical and chemical properties:

· **General Information**

<b>Form:</b>	Fluid
<b>Color:</b>	Whitish
<b>Odor:</b>	Product specific

· **Change in condition**

**Melting point/Melting range:** undetermined

(Contd. on page 4)

Printing date 11/15/2005

Reviewed on 11/15/2005

Trade name: **Aquastop FC**

(Contd. of page 3)

<b>Boiling point/Boiling range:</b>	undetermined
· <b>Flash point:</b>	Not applicable
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Density at 20°C (68°F):</b>	~ 1.01 g/cm <sup>3</sup> (ISO 2811)
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible
· <b>pH-value at 20°C (68°F):</b>	~ 3.1

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions** Reacts with alkali (lyes)
- **Dangerous products of decomposition:** No dangerous decomposition products known

## 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 64-19-7 acetic acid

Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)

### 34590-94-8 dipropylene glycol monomethyl ether

Oral	LD50	5130 mg/kg (rat)
Dermal	LD50	> 19000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritating effects possible
- **on the eye:** Irritating effects possible
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information:

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

USA

(Contd. on page 5)

Printing date 11/15/2005

Reviewed on 11/15/2005

**Trade name: Aquastop FC**

(Contd. of page 4)

### 13 Waste Disposal Method

- **Product and uncleaned packagings:**
- **Recommendation:**  
Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

### 14 Transport information

- |   |
|---|
| <ul style="list-style-type: none"> <li>· <b>DOT regulations:</b></li> <li>· <b>Hazard class:</b> -</li> </ul>                       |
| <ul style="list-style-type: none"> <li>· <b>Land transport ADR/RID (cross-border)</b></li> <li>· <b>ADR/RID class:</b> -</li> </ul> |
| <ul style="list-style-type: none"> <li>· <b>Maritime transport IMDG:</b></li> <li>· <b>IMDG Class:</b> -</li> </ul>                 |
| <ul style="list-style-type: none"> <li>· <b>Air transport ICAO-TI and IATA-DGR:</b></li> <li>· <b>ICAO/IATA Class:</b> -</li> </ul> |
- **Transport/Additional information:** Not dangerous according to the above specifications.

### 15 Regulatory information (Not meant to be all-inclusive/selected regulations represented)

- **Product related hazard informations:**  
The product has not been classified and marked in accordance respective national laws. Observe the general safety regulations when handling chemicals
- **Safety phrases:**
  - 2 Keep out of the reach of children.
  - 20 When using do not eat or drink.
  - 24/25 Avoid contact with skin and eyes.
  - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - 27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
  - 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
  - 46 If swallowed, seek medical advice immediately and show this container or label.
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**  
The product has been designed for professional use only.
- **Please note:**  
The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that their activities comply with Federal, State or provincial and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.
- **U.S. Regulations**

<ul style="list-style-type: none"> <li>· <b>EPA (Environmental Protection Agency)</b></li> </ul>
None of the ingredients is listed.

(Contd. on page 6)

Printing date 11/15/2005

Reviewed on 11/15/2005

**Trade name: Aquastop FC**

(Contd. of page 5)

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **Toxic Substances Control Act (TSCA):**

All ingredients are listed.

· **California proposition 65:**

· **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **Prop 65 - Developmental toxicity**

None of the ingredients is listed.

· **Prop 65 - Reproductive toxicity for females**

None of the ingredients is listed.

· **Prop 65 - Reproductive toxicity for males**

None of the ingredients is listed.

· **Canadian regulations**

· **WHMIS information:**

The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:

void

· **CPR statement:**

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

· **Canadian Ingredient Disclosure List**

· **Limit 0,1%**

None of the ingredients is listed.

· **Limit 1%**

34590-94-8	dipropylene glycol monomethyl ether
64-19-7	acetic acid

· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

## 16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Dr. Ralf Döring