

Printing date 03/22/2004

Reviewed on 03/22/2004

## 1 Identification of substance:

- **Product details:**
- **Trade name:** **Blutol**
- **Application of the substance / the preparation** Drycleaning / Laundry
- **Manufacturer/Supplier:**  
SEITZ GmbH  
Gutenbergstrasse 3  
65830 Kriftel/ Germany  
seitz@seitz24.com  
www.seitz24.com
- **Information department:**  
CHEM-TEL Inc.  
1305 North Florida Ave  
Tampa Florida 33602
- **Emergency information:** 1-800-255-3924

## 2 Composition/Data on components:

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with non-hazardous ingredients.

| CAS-No.    | Components:                              |       |
|------------|--|-------|
| 68154-97-2 | fatty alcohol, propoxylated, oxethylated | < 10% |
| 34590-94-8 | dipropylene glycol monomethyl ether      | < 10% |
| 577-11-7   | diisooctyl sodium sulfosuccinate         | < 5%  |
| 1336-21-6  | ammonium hydroxide                       | < 1%  |

## 3 Hazards identification

- **Hazard description:** not applicable
- **Information pertaining to particular dangers for man and environment** not applicable
- **Classification system**  
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **NFPA ratings (scale 0-4)**



## 4 First aid measures

- **General information**  
Immediately remove any clothing soiled by the product.  
Remove casualties from exposure.  
Keep unprotected persons away.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately rinse with water.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.

(Contd. on page 2)

USA

Printing date 03/22/2004

Reviewed on 03/22/2004

**Trade name: Blutol**

Do not induce vomiting; immediately call for medical help.

(Contd. of page 1)

## 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Formation of toxic gases is possible during heating or in case of fire.
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- **Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Avoid contact with eyes and skin.
- **Measures for environmental protection:**  
Do not allow product to reach sewage system or any water course.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.

## 7 Handling and storage

- **Handling**
- **Information for safe handling:**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Do not use light alloy receptacles.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Do not store together with oxidizing and acidic materials.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from frost.  
Time of storage: max. 18 month

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 3)

USA

Printing date 03/22/2004

Reviewed on 03/22/2004

Trade name: **Blutol**

(Contd. of page 2)

· **Components with limit values that require monitoring at the workplace:**

**34590-94-8 dipropylene glycol monomethyl ether**

|     |   |
|-----|---|
| PEL | 600 mg/m <sup>3</sup> , 100 ppm<br>Skin   |
| REL | Short-term value: 900 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 600 mg/m <sup>3</sup> , 100 ppm         |
| TLV | Short-term value: 909 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 606 mg/m <sup>3</sup> , 100 ppm<br>Skin |

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / vapors / aerosols.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses recommended

· **Body protection:** Protective work clothing recommended

## 9 Physical and chemical properties:

· **General Information**

|               |                  |
|---------------|------------------|
| <b>Form:</b>  | Fluid            |
| <b>Color:</b> | Colorless        |
| <b>Odor:</b>  | Product specific |

· **Change in condition**

**Melting point/Melting range:** undetermined

**Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Density at 20°C (68°F):** 1.020 - 1.030 g/cm<sup>3</sup> (ISO 2811)

· **Solubility in / Miscibility with**

**Water:** Fully miscible

(Contd. on page 4)

Printing date 03/22/2004

Reviewed on 03/22/2004

Trade name: **Blutol**

(Contd. of page 3)

· **pH-value at 20°C (68°F):** 11.0 - 11.5

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:**  
Acids  
Strong oxidizing agents
- **Dangerous reactions** None if used as directed.
- **Dangerous products of decomposition:** None if used as directed.

## 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**68154-97-2 fatty alcohol, propoxylated, oxethylated**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 7940 mg/kg (rat) |
|------|------|------------------|

**34590-94-8 dipropylene glycol monomethyl ether**

|      |      |                  |
|------|------|------------------|
| Oral | LD50 | 5130 mg/kg (rat) |
|------|------|------------------|

|        |      |                        |
|--------|------|------------------------|
| Dermal | LD50 | > 19000 mg/kg (rabbit) |
|--------|------|------------------------|

**577-11-7 diisooctyl sodium sulfosuccinate**

|      |      |                    |
|------|------|--------------------|
| Oral | LD50 | > 2000 mg/kg (rat) |
|------|------|--------------------|

- **Primary irritant effect:**
- **on the skin:** Irritating effects possible
- **on the eye:** Irritating effects possible
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information:

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water course or sewage system.  
At present there are no ecotoxicological assessments.

## 13 Waste Disposal Method

- **Product and uncleaned packagings:**

- **Recommendation:**

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

USA

(Contd. on page 5)

Printing date 03/22/2004

Reviewed on 03/22/2004

Trade name: **Blutol**

(Contd. of page 4)

## 14 Transport information

- **DOT regulations:**
- **Hazard class:** -
- **Land transport ADR/RID (cross-border)**
- **ADR/RID class:** -
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

## 15 Regulatory information (Not meant to be all-inclusive/selected regulations represented)

- **Product related hazard informations:**  
The product has not been classified and marked in accordance respective national laws. Observe the general safety regulations when handling chemicals
- **Safety phrases:**
  - 2 Keep out of the reach of children.
  - 20 When using do not eat or drink.
  - 24/25 Avoid contact with skin and eyes.
  - 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - 27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
  - 45 In case of accident or if you feel unwell, seek medical advice immediately.
  - 46 If swallowed, seek medical advice immediately and show this container or label.
- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Other regulations, limitations and prohibitive regulations**  
The product has been designed for professional use only.
- **Please note:**  
The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that their activities comply with Federal, State or provincial and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 6)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 03/22/2004

Reviewed on 03/22/2004

Trade name: **Blutol**

(Contd. of page 5)

|  |
|--|
| · <b>SARA Section 355 (extremely hazardous substances)</b> |
|--|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|  |
|--|
| · <b>SARA Section 313 (specific toxic chemical listings)</b> |
|--|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|   |
|---|
| · <b>Toxic Substances Control Act (TSCA):</b> |
|---|

|                             |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

|                                     |
|-------------------------------------|
| · <b>California proposition 65:</b> |
|-------------------------------------|

|  |
|--|
| · <b>Prop 65 - Chemicals known to cause cancer</b> |
|--|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|   |
|---|
| · <b>Prop 65 - Chemicals known to cause reproductive toxicity</b> |
|---|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|                              |
|------------------------------|
| · <b>State right-to-know</b> |
|------------------------------|

|   |
|---|
| The following product component(s) is/are cited on certain State lists as mentioned. Non-listed components may be shown in the composition section of the MSDS. |
|---|

|  |
|--|
| · <b>CAS-No.: Chemical name: LIST:</b> |
|--|

|  |
|--|
| 34590-94-8 dipropylene glycol monomethyl ether NY/PA |
|--|

|                                      |
|--------------------------------------|
| 1336-21-6 ammonium hydroxide NY/PA-E |
|--------------------------------------|

|  |
|--|
| · <b>OSHA hazard communication standard:</b> |
|--|

|  |
|--|
| This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
|--|

|  |
|--|
| · <b>Comprehensive Environmental Response Compensation and Liability Act (CERCLA, or Superfund):</b> |
|--|

|  |
|--|
| This product contains the following substance(s) listed as "Hazardous Substances" under CERCLA, which may require reporting of releases: |
|--|

|   |
|---|
| · <b>CAS-No.: Chemical name:</b> 1336-21-6 ammonium hydroxide |
|---|

|                               |
|-------------------------------|
| · <b>Canadian regulations</b> |
|-------------------------------|

|                             |
|-----------------------------|
| · <b>WHMIS information:</b> |
|-----------------------------|

|   |
|---|
| The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:<br>void |
|---|

|                         |
|-------------------------|
| · <b>CPR statement:</b> |
|-------------------------|

|  |
|--|
| This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. |
|--|

|  |
|--|
| · <b>Hazardous products act information:</b> |
|--|

|   |
|---|
| This produkt contains the following ingredient(s) which are Controlled Products and/or on the Ingredients Disclosure List (Canadian HPA section 13 and 14): |
|---|

|  |
|--|
| · <b>Canadian Ingredient disclosure list</b> |
|--|

|                     |
|---------------------|
| · <b>Limit 0,1%</b> |
|---------------------|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|                   |
|-------------------|
| · <b>Limit 1%</b> |
|-------------------|

|  |
|--|
| 34590-94-8 dipropylene glycol monomethyl ether |
|--|

|   |
|---|
| 577-11-7 diisooctyl sodium sulfosuccinate |
|---|

## 16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Dr. Ralf Döring

· \* **Data compared to the previous version altered.**