

MATERIAL SAFETY DATA SHEET

A Product Of: Arrow Paper Corporation
P.O. Box 1001
Wilmington, MA 01882

Date: 1-1-2005
Ref. No.: 27814
Telephone: 1-888-622-7769
Contact: James Brangwynne

SECTION I - PRODUCT IDENTIFICATION

Trade Name: PATRIOT MASTER CHLOR DESTAINER

Chemical name / synonyms: Chlorine Powder

Formula: Na O Cl - Oxidizer

D.O.T.: Compound Cleaning, Not Regulated

HMIS CODE: Health 2, Fire 0, Reactivity 0

HMIS KEY: 4=Extreme, 3=High, 2=Moderate, 1=Slight, 0=insignificant

SECTION II - HAZARDOUS INGREDIENTS

<u>Substance</u>	<u>% Composition</u>
Sodium Dichloro-s-triazinetriene CAS# 2893-78-9	<15%
TLV 1ppm	

SECTION III - PHYSICAL DATA

Boiling Pt (°F): N/A	Specific Gravity: 1.23
Vapor Pressure (mm Hg): N/A	Percent Volatile: N/A
Vapor Density (air=1): N/A	Evaporation Rate: N.A
Solubility in water: complete	pH: 11.8 of 2% solution
Appearance and Odor: White crystalline powder with a chlorine odor	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Pt (°F): None
Test method: NA

Flammable limits in air (vol. %)
Upper: NA Lower: NA

Extinguishing Media: As necessary for surrounding fire.
Special fire fighting procedures: Self contained gas masks
Unusual fire and explosion hazard: Danger of chlorine gas being evolved.

SECTION V - HEALTH HAZARD DATA - ROUTES OF ENTRY

Threshold Limit Value: See Section II

Acute Effects of Overexposure: EYES - causes severe burns. May cause irreparable damage, and/or loss of vision. SKIN - corrosive action causes burns. Prolonged contact destroys tissues. INHALATION- dust or mist may cause coughing, sneezing or other symptoms of upper respiratory tract irritation. Damage to the upper respiratory tract and lung tissue depending on extent of exposure. Effects range from mild irritation of mucous membranes, severe pneumonitis and lung tissue destruction. INGESTION - can cause very severe damage to mouth, esophagus, and stomach. May be fatal.

Chronic Effects of Exposure: local effect may consist of multiple areas of superficial destruction of the skin or of primary dermatitis. Similarly, inhalation of the dust or mist may result in varying degrees of irritation.

Emergency and first aid procedures: EYES - flush with plenty of cool water for at least 15 minutes. Hold eyelids open during this flushing with water. Obtain medical attention. SKIN - immediately flush skin with plenty of water while removing contaminated clothing and boots. Call a physician. Clean contaminated clothing and boots before reuse or discard. INHALATION- remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. INGESTION - If conscious, drink large quantities of water. Do not induce vomiting. Take immediately to a hospital or physician. If vomiting occurs spontaneously, keep airway clear. If unconscious or in convulsions, take immediately to hospital. Do not attempt to induce vomiting or give anything by mouth to an unconscious person.

SECTION VI - REACTIVITY DATA

Stability: unstable

Conditions to avoid: Avoid mixing concentrate with strong acids, organics, heat, or fire.

Hazardous decomposition products: Chlorine gas, Phosgene and Phosphoric oxides from temperatures above 400° F.

Hazardous polymerization products: Will not occur.

SECTION VII - SPILL OR LEAK PROCEDURE

For dry product, sweep up excess material.

Steps to be taken if material is released or spilled: Large spills: Dike and contain. Place in non-leaking containers for disposal agency. Avoid contamination of food. Toxic to fish and wild life. Small spills: soak or mop up. Small spills may be flushed to sewer.

Waste disposal method: Small quantities will evaporate readily. Large amounts should be given to licensed disposal agency.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: NIOSH approved respirator for chlorine solutions if product is to be sprayed.

Ventilation -local and mechanical: recommended

Protective gloves: rubber

Eye protection: chemical goggles or splash shield if contact is likely.

Other protective equipment: rubber or plastic apron

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: Store above 35°F.

Keep container tightly closed when not in use. Store in a cool dry area away from sunlight and heat to avoid deterioration. Decomposes with age, heat, and light. Rotate stock.

Other precautions: KEEP OUT OF REACH OF CHILDREN.

NA means NOT APPLICABLE on this form.
ND means NOT DETERMINED on this form.

The information on this Material Safety Data Sheet reflects the latest information and data that we have on hazards, properties, and handling of this product under the recommended conditions of use. Any use of this product or method of application that is not described on the label or in the Product Data Sheet is the responsibility of the user.

This Material Safety Data Sheet was prepared to comply with the OSHA Hazardous Communication Regulation and Massachusetts Right to Know Law.